

TECHNICAL **CHART 40-16**

BLU COLORING 2028

Description of product

Concentrated dispersion of pigments in semi liquid paste to be used in tintometric systems, absence of binders, solvents and alkyl phenol ethoxylates.

Application Field

BLUE COLOURING 2028 is suitable for colouring lime based paint and silicates for interiors and exteriors. Also used for colouring silossanic and acryl-silossanic water-based paints for externals with high transpiration capacity.

Product characteristics

BLUE COLOURING 2028 is a concentrated dispersion of pigments in aqueous solution, without binders, alkyl phenol ethoxylates (APEO-free) and solvents (no-VOC). It's a ready-to-use semi liquid paste of pourable and pumpable consistence, used to colour (through tintometric systems) water-based decorative paints of polymer resins. BLUE 2028, inorganic pigment with an excellent brightness and very high resistance to atmosphere agents. This colouring paste permits the formulation of pastel shades **for externals ensuring a satisfactory resistance**. The use of special wetting factors and polymer dispersions (APEO-free), highly biodegradable, ensures a good versatility with the maximum respect for environment. Its particular formulation (VOC-free), without glycol, solvents and aromatic compounds grant a greater safety for user's and consumer's health.

Instructions for use

- Product ready to use, stir carefully before use.
- For tinting lime based products for exteriors, use exclusively pigments for outdoors, due to the high alkalinity and lack of protection from synthetic binders.
- Do not use tinting pastes with organic pigments for outdoor paints poor of binders, that is, indicated with a PVC value over 65%, in particular for light or pastel colours.
- Using tinting pastes (especially if organic types) in paints with PVC value over 75% is to be considered at risk as the paint is binder-free.
- Temperature of application 5° - 35°C.

Notes

The present technical chart has been written by Bericalce's experts and the indicated technical and scientific information have been tested in our own workshop.

Any responsibility regarding the results are due only to the method and conditions used during application of the product.

These indications are a valid support for testing the quality of the product in each specific case.

BLU COLORING 2028

Technical data	
Name	Interiors and exteriors
Use	Inorganic colouring pigments in aqueous solution. Solid residual 71%
Composition	
Aspect	Dense Liquid
Color	BLUE
PH	7,5 - 8,5
Chemical Resistance	Acids (min.1 - max5) = 5 Alkali (min.1 - max5) = 5
Light Resistance	Full tones (min.1 - max.8) = 8 Reduced tones (1/25) (min.1 - max.8) = 8
Classification	Classification VOC-free of the compound according to following directives -2004/42/EC dated 21.4.2004 "Direttiva Decopaint" "-Decision of the European Commission of 3.9.2002 ""Ecological criteria for the award of the Community quality label to varnishing products (ECO LABEL)"
Specific weight	1,77 kg/litre
Packaging	1 Litre packaging
Storage	Keep in dry place with temperture min.5° - 30°C max.

Date of issue 01.04.2004**BeriCalce ITALIA**

Via Odorico da Pordenone, 18

36100 Vicenza - ITALY

Phone (+39) 0444 929102

Fax (+39) 0444 929102

Skype: bericalce

info@bericalce.com

bericalce.com